

SPEC SHEET + MEASUREMENTS

PORT AUTHORITY

Port Authority® Women's Packable Puffy Jacket. L850

Product photo




Staying warm while on the go has never been easier with our Packable Puffy Jackets. Thanks to a water-repellent fabric coating and finish, you'll remain comfortable no matter where your day takes you.

- 100% polyester shell and lining
- 2.4-ounce, 100% polyfill insulation
- Reverse coil zippers
- Front zippered pockets
- Elastic binding at cuffs
- Adjustable locking drawcord at hem
- Port Pocket™ for decoration access
- Insulation method: 2.4-ounce polyfill
- Water protection method: PU coating and water-repellent finish
- Dyed-to-match drawstring carrying pouch included

CARE INSTRUCTIONS

Machine wash cold with like colors. Do not bleach. Tumble dry low. Cool iron. Do not use fabric softener. Do not dry clean.

Sketches



front



back

SPEC SHEET + MEASUREMENTS

PORT AUTHORITY

Port Authority® Women's Packable Puffy Jacket. L850

PRODUCT MEASUREMENTS

	XS	S	M	L	XL	XXL	3XL	4XL
Size	2	4/6	8/10	12/14	16/18	20/22	24/26	28/30
Body Length at Back	25 1/2	26	26 1/2	27	27 1/2	28	28 1/2	29
Bust	19 1/2	20 1/2	21 1/2	23	24 1/2	26	28	30
Sleeve Length from Center Back	32 1/2	33	33 1/2	34 1/8	34 3/4	35 3/8	35 3/4	36 1/8

Body Length at Back: Measured from high point shoulder to finished hem at back.

Bust: Measured across the chest one inch below armhole when laid flat.

Sleeve Length from Center Back: Measure from Center Back neck to shoulder point to sleeve hem.

SIZE CHARTS

	XS	S	M	L	XL	XXL	3XL	4XL
Size	2	4/6	8/10	12/14	16/18	20/22	24/26	28/30
Bust	32-34	35-36	37-38	39-41	42-44	45-47	48-51	52-55

SPEC SHEET + MEASUREMENTS

PORT AUTHORITY

Port Authority® Women's Packable Puffy Jacket. L850

HOW TO MEASURE



BUST

Measure under the arm and around the fullest part of the bust with arms down, keeping tape horizontal.

COLORS



Cobalt Blue
PMS 7687C



Deep Black
PMS BLACK
C



Fire Red/
Graphite
PMS 202C



Regatta Blue/
River Blue
Navy
PMS 2380C



Sterling Grey/
Graphite
PMS 7540C